



°C	0	10	20	30	40	50	60	70	80	90	100
0	0.000	0.135	0.273	0.413	0.555	0.699	0.846	0.994	1.145	1.297	1.451
100	1.451	1.608	1.766	1.926	2.087	2.251	2.415	2.582	2.750	2.919	3.090
200	3.090	3.262	3.436	3.610	3.786	3.963	4.141	4.321	4.501	4.682	4.865
300	4.865	5.048	5.232	5.417	5.603	5.789	5.976	6.164	6.353	6.542	6.732
400	6.732	6.922	7.113	7.305	7.497	7.689	7.882	8.075	8.269	8.463	8.657
500	8.657	8.851	9.046	9.241	9.436	9.631	9.827	10.022	10.218	10.413	10.609
600	10.609	10.804	10.999	11.195	11.390	11.585	11.780	11.974	12.169	12.364	12.559
700	12.559	12.753	12.947	13.141	13.335	13.529	13.723	13.916	14.109	14.301	14.494
800	14.494	14.686	14.878	15.069	15.260	15.451	15.641	15.831	16.021	16.210	16.398
900	16.398	16.587	16.775	16.962	17.149	17.335	17.521	17.707	17.892	18.076	18.260
1000	18.260	18.444	18.627	18.809	18.991	19.172	19.353	19.533	19.713	19.892	20.071
1100	20.071	20.249	20.426	20.603	20.779	20.955	21.130	21.305	21.479	21.652	21.825
1200	21.825	21.997	22.169	22.340	22.510	22.680	22.849	23.018	23.186	23.353	23.520
1300	23.520	23.686	23.852	24.017	24.181	24.345	24.508	24.671	24.833	24.994	25.155
1400	25.155	25.315	25.475	25.633	25.792	25.949	26.107	26.263	26.419	26.574	26.729
1500	26.729	26.883	27.037	27.190	27.342	27.493	27.645	27.795	27.945	28.094	28.243
1600	28.243	28.391	28.538	28.685	28.831	28.977	29.122	29.266	29.410	29.553	29.696
1700	29.696	29.838	29.979	30.120	30.260	30.399	30.538	30.676	30.813	30.950	31.087
1800	31.087	31.222	31.357	31.491	31.625	31.758	31.890	32.022	32.153	32.283	32.413
1900	32.413	32.542	32.670	32.797	32.924	33.050	33.175	33.300	33.424	33.547	33.669
2000	33.669	33.791	33.911	34.031	34.151	34.269	34.387	34.503	34.619	34.734	34.849
2100	34.849	34.962	35.074	35.186	35.296	35.406	35.515	35.623	35.730	35.836	35.940
2200	35.940	36.044	36.147	36.249	36.350	36.449	36.548	36.645	36.742	36.837	36.931
2300	36.931	37.024									

* Emf values in millivolts

The equations used to generate this table are extracted, with permission, from ASTM Standard E988, copyright ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428. A copy of the complete standard may be obtained from ASTM (www.astm.org).